



[www.aquamategroup.com](http://www.aquamategroup.com)



# AQUAmate

**Hong Kong Office** . Suite 1908-11, 19th Floor, Telford House, 16 Wang Hoi Road, Kowloon Bay, Kowloon, Hong Kong  
T . +852 2756 6331 F . +852 2756 5522 E . [info@aquamategroup.com](mailto:info@aquamategroup.com) [www.aquamategroup.com](http://www.aquamategroup.com)  
**China Factories** . Juqi District, Humen Town, Dongguan City, Guangdong Province, China  
Lubao Industrial Park, Sanshui District, Foshan City, Guangdong Province, China

**AQUAmate™**  
Implies Reliability & Innovation

## Push Button shower



- 3 Settings Handheld Shower: Shower Spray, Pulsating Massage, Powerful Spray
- One hand operated mode changing design

SH0132732



- 3 Settings Handheld Shower: Shower Spray, Mist, Powerful Spray
- One hand operated mode changing design

SH0137232



## Slide Button shower



SH0132922



- 2 Settings Handheld Shower: Shower Spray, Small Shower Spray
- One hand operated mode changing design

SH0128332



- 3 Settings Handheld Shower: Shower Spray, Pulsating Massage, Aeration
- One hand operated mode changing design



SH0228332





# LED

shower




SH0221012

- LED Handheld Shower (with removable cover)
- Lights in the center will be on when water pressure reaches 1 bar
- Function patent no: ZL 2007 2 0061443.7
- Approved cert: ACS CSA CE RoHS



Rainbow color; Automatically from Red, Orange, Yellow, Green, Light Blue, Blue to Purple



The LED lights change color (from Blue to Purple and then Red) as temperature increases



- LED Handheld Shower
- 3 Settings Handheld Shower: Shower Spray, Pulsating Massage, Combination of Spray & Massage
- Lights in the center will be on when water pressure reaches 1 bar




SH0135332



# LCD

shower



- LCD Handheld Shower
- Showering Water Temperature
- Showering Water Consumption (Liter)
- Showering Duration (hr. & min.)



SH0134412



Cumulative water consumption during showering (Liter)



Cumulative showering duration (hour & minute)



Blue LED backlight for easy reading



Red LED backlight when temperature exceeds 41°C for alert purpose

# the Essence of shower



AQUAmate™  
CATALOGUE

- 5 Settings Handheld Shower:  
Shower Spray, Mist, Dripping, Pulsating Massage, Combination of Spray & Mist
- Approved cerf: ACS

SH0103252



- 4 Settings Handheld Shower:  
Shower Spray, Mist, Pulsating Massage, Combination of Spray & Mist

SH0125742



SH0126412

- Patent No: ZL200930085905.3
- Approved cerf: ACS



- 5 Settings Handheld Shower:  
Shower Spray, Aeration, Pulsating Massage, Combination of Spray & Massage, Combination of Spray & Mist

SH0234152



- 5 Settings Handheld Shower:  
Shower Spray, Aeration, Pulsating Massage, Combination of Spray & Massage, Dripping
- Approved cerf: ACS  
CSA TUV

SH0207252



## Shower Rail Set






# Air Intake shower



- Air Intake Handheld Shower
- 3 Settings Handheld Shower: Shower Spray, Pulsating Massage, Combination of Spray & Massage



SH0131532



- Air Intake Handheld Shower



SH0129312



# Suction Cup

- No screw, no sticker, convenient for family
- Each suction cup has holding force of 3kg
- Fit for glass or smooth ceramic tile
- Chrome or White finishing



SB044012



TR-056



TR-055



TR-059



TR-053

# shower Hose



FB0168

Double-locked / Brass Hose



FM0107

Double-locked / Stainless Steel Hose



FM0149 (Can be extended)

Double-locked / Stainless Steel Hose



FP1903

PVC Hose with metallic silver finish



FY0113

White PVC Hose with silver ring



FP1703

Reinforced PVC Hose



shower full system

shower

# Full System



SX05500202-01



SX05400152-01



SX02400152-01

AQUAmate™  
CATALOGUE

Rain

shower



PCM09K0137



SX321XXYY2

